

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	15	"60225200"	US-PGPUB; USPAT	OR	OFF	2005/06/30 11:27
S2	38	"60255200" "60225211" "60225056" "60225170" "60225169" "60225089" "60225201" "60225212" "60225059" "60225094" "60225210" "60233459" "60225206" "60225058" "60225057" "60157340" "60182866" "60270942" "60270011" "60270941" "60273177" "60273178" "60273902" "60275594" "60279313" "60275583" "60306202" "60292081" "60292100" "60298207" "60302937" "60302916" "60307756" "60312141" "60308492" "60323975" "60324729" "60335970" "60349989" "60351797" "60406138" "60452159" "60196550" "60496574" "60533598" "80498588" "60533791" "60533852" "60533811" "60533575" "60540377"	US-PGPUB; USPAT	OR	OFF	2004/07/22 15:52
S3	9	"4048886"	US-PGPUB; USPAT	OR	OFF	2004/07/22 15:45
S4	18	"4117752"	US-PGPUB; USPAT	OR	OFF	2004/07/22 15:46
S5	11	83/58.ccls. and safety and blade and contact and brake and motor and (capacitor or capacitance)	US-PGPUB; USPAT	OR	OFF	2004/07/22 19:46
S6	13	"3785230".URPN.	USPAT	OR	OFF	2004/07/22 19:43
S7	9	83/58.ccls. and safety and blade and contact and brake and motor and (capacitor or capacitance) and (monitor\$4 or control\$4) same brake	US-PGPUB; USPAT	OR	OFF	2004/07/22 19:49
S8	16	"83"/\$.ccls. and safety and blade and contact and brake and motor and (capacitor or capacitance) and (monitor\$4 or control\$4) same brake	US-PGPUB; USPAT	OR	OFF	2004/07/22 19:53

S9	45	safety and (blade or saw) and contact and brake and motor and (capacitor or capacitance) and ((monitor\$4 or control\$4) near brake)	US-PGPUB; USPAT	OR	OFF	2004/07/22 20:16
S10	2	"1811066"	US-PGPUB; USPAT	OR	OFF	2004/07/22 20:16
S11	28	"3785230"	US-PGPUB; USPAT	OR	OFF	2004/07/22 20:16
S12	86	83/58.ccls.	US-PGPUB; USPAT	OR	OFF	2004/07/23 16:27
S13	146	rock same cut\$4 same boom	US-PGPUB; USPAT	OR	OFF	2005/06/29 10:45
S14	0	(hair near design) same toll	US-PGPUB; USPAT	OR	OFF	2005/06/29 10:46
S15	11	(hair near design) same tool	US-PGPUB; USPAT	OR	OFF	2005/06/29 12:39
S16	0	(blade or cut\$4) same brake same (self near test4\$)	US-PGPUB; USPAT	OR	OFF	2005/06/29 12:43
S17	0	(blade or cut\$4) and brake same (self near test4\$)	US-PGPUB; USPAT	OR	OFF	2005/06/29 12:41
S18	0	(blade or cut\$4) and brake same (self near3 test4\$)	US-PGPUB; USPAT	OR	OFF	2005/06/29 12:41
S19	0	(blade or cut\$4) and brake and (self near3 test4\$)	US-PGPUB; USPAT	OR	OFF	2005/06/29 12:41
S20	0	(blade or cut\$4) and brake and (self near3 test4\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/29 12:41
S21	9	(blade or cut\$4) and brake same test4\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 12:42
S22	0	brake same (self near test4\$)	US-PGPUB; USPAT	OR	OFF	2005/06/29 12:44

S23	30	("2562396" "2601878" "2991593" "3313185" "3337008" "3566996" "3688815" "3882744" "3935777" "3945286" "4029159" "4106378" "4896607" "4936876" "4975798" "5094000" "5401928" "5451750" "5480009" "5592353" "5659454" "5700165" "5819619" "5930096" "6141192" "6352137" "6427570" "6659233" "0104085" "0226800").PN.	US-PGPUB; USPAT	OR	OFF	2005/06/29 12:58
S24	25	("1582483" "3184001" "3696844" "3994192" "4199930" "4291794" "4589860" "4657428" "4679719" "5074047" "5083973" "5231359" "5411221" "5852951" "5974927" "6150826" "6376939" "6431425" "6471106" "6492802" "6617720" "6826988" "6857345" "0032534" "0226424").PN.	US-PGPUB; USPAT	OR	OFF	2005/06/29 12:59
S25	1	("6376939").URPN.	USPAT	OR	OFF	2005/06/29 14:56
S26	4	("3829850" "3886413" "4518958" "5166679").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/29 18:17
S27	275	test\$4 same safety same brake and cut\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/29 18:30
S28	848	test\$4 same safety same device same (cut\$4 or blade)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/29 18:31
S29	9	"83"/\$.ccls. and test\$4 same safety same device same (cut\$4 or blade)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/29 18:32
S30	43	"83"/\$.ccls. and test\$4 same safety same (cut\$4 or blade)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/29 18:40
S31	504	sensor and brake and blade and (test or check) and stop and motor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/29 18:41
S32	1073	brake and capaci\$4 and fuse	US-PGPUB; USPAT	OR	OFF	2005/06/30 12:51
S33	491	brake and capaci\$4 and fuse and safety	US-PGPUB; USPAT	OR	OFF	2005/06/30 11:28
S34	285	brake and capaci\$4 and fuse and safety and cut\$4	US-PGPUB; USPAT	OR	OFF	2005/06/30 12:34
S35	45	brake and capaci\$4 and fuse and safety and cut\$4 and blade	US-PGPUB; USPAT	OR	OFF	2005/06/30 11:28
S36	49	brake and capaci\$4 and fuse and pawl	US-PGPUB; USPAT	OR	OFF	2005/06/30 13:16

S37	69	check same brake and capaci\$4 and fuse	US-PGPUB; USPAT	OR	OFF	2005/06/30 13:17
S38	1	check same brake same pawl same sensor same contro\$4	US-PGPUB; USPAT	OR	OFF	2005/06/30 13:19
S39	2	check same brake same pawl same sensor	US-PGPUB; USPAT	OR	OFF	2005/06/30 13:18
S40	9	check same brake same pawl same contro\$4	US-PGPUB; USPAT	OR	OFF	2005/06/30 13:21
S41	0	brake same pawl same contro\$4 same fuse same capacitor	US-PGPUB; USPAT	OR	OFF	2005/06/30 13:22
S42	3	brake same pawl same fuse same capacitor	US-PGPUB; USPAT	OR	OFF	2005/06/30 13:22
S43	7	brake same pawl same fuse	US-PGPUB; USPAT	OR	OFF	2005/06/30 13:23
S44	182	brake same pawl and check	US-PGPUB; USPAT	OR	OFF	2005/06/30 13:24
S45	23	saw same safety same brake same pawl	US-PGPUB; USPAT	OR	OFF	2005/06/30 13:26
S46	11	saw same safety same brake and check	US-PGPUB; USPAT	OR	OFF	2005/06/30 13:26
S47	30	saw same safety same brake and (check or test)	US-PGPUB; USPAT	OR	OFF	2005/06/30 13:29
S48	2665	safety same brake and (check or test)	US-PGPUB; USPAT	OR	OFF	2005/06/30 13:29
S49	81	safety same brake and (check or test) and capaci\$4 and fuse	US-PGPUB; USPAT	OR	OFF	2005/06/30 13:29
S50	0	("6477866").URPN.	USPAT	OR	OFF	2005/06/30 13:44
S51	15	("1756081" "1908382" "2865184" "3403538" "4217532" "5535622" "5561990" "5561991" "5669095" "5823017" "6151742").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 13:45
S52	315	(monitor mear brake) same fuse same capaci\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 13:46
S53	0	(monitor near brake) same fuse same capaci\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 13:46
S54	3	(monitor same brake) same fuse same capaci\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 13:48
S55	17	(monitor same brake) same pawl	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 13:50

S56	1889	(monitor same brake) same control	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 13:50
S57	3	(monitor same brake) same control same sensor same disable same motor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 13:53
S58	482	(monitor same brake) same control same sensor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 13:58
S59	856	(monitor same brake) same sensor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 13:59
S60	93	(monitor near1 brake) same sensor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 14:29
S61	1	("5239978").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 14:30
S62	2	("4756220" "6736042").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 14:30
S63	9	("4637188" "4934233" "4937554" "5020406" "5199343" "6052884" "6404098" "6420814" "6430007").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 14:33
S64	28	("1811066" "2286589" "2434174" "2661780" "2785710" "2984268" "3224474" "3745546" "3749933" "3772590" "3924688" "4175452" "4589047" "4606251" "4864455" "5119555" "5320382" "5321230" "5471888" "5943932" "6037729").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 14:38

S65	113	("1205246" "1807120" "2163320" "2313686" "2328244" "2352235" "2377265" "2425331" "2466325" "2496613" "2509813" "2517649" "2572326" "2593596" "2623555" "2675707" "2690084" "2722246" "2731049" "2786496" "2954118" "3129731" "3163732" "3207273" "3323814" "3540338" "3613748" "3675444" "3680609" "3829850" "3922785" "4090345" "4091698" "4145940" "4190000" "4305442" "4466233" "4512224" "4518043" "4560033" "4566512" "4599597" "4792965" "5082316" "5086890" "5207253" "5245879" "5257570" "5265510" "5392678" "5755148" "5782001" "5787779" "5791223" "5791224" "5937720" "5942975" "6095092" "6257061" "6366099" "6450077" "6453786" "6460442" "6479958" "6543324" "6546835" "6575067" "6578856" "6595096" "6601493" "6607015" "6619348" "6640683" "6644157" "6647847" "D466913" "D469354" "D478917" "D479538" "0109036" "0074873" "0089212" "0109798").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 14:39
S66	0	S65 and monitor same brake	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 14:39
S67	13	"83"/\$.ccls. and monitor same brake	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 14:42
S68	88	(monitor near2 brake) same sensor same control\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 15:23
S69	199	brake and control and capacitance and fuse	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 17:54
S70	332238	(cylinder or piston) and control and capacitance and fuse amd melt	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 17:55
S71	114	(cylinder or piston) and control and capacitance and fuse and melt	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 18:00
S72	9	brake and (piston or cylinder) and control and capacitance and fuse and melt	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 18:02
S73	49	brake and (piston or cylinder) and control and capacitance and fuse	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 18:11

S74	1860569	control same fuse near\$4 condition and brake and capacitance	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 18:12
S75	1476	control same (fuse near\$4 condition) and brake and capacitance	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 18:12
S76	202	control same (fuse near\$4 condition) and brake and capacitance and pad	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 18:56
S77	12042	control same capacitance same (fuse near\$4 condition)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 18:56
S78	169	control same capacitance same (fuse near\$4 condition) and melt	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 18:57
S79	14	safety and control same capacitance same (fuse near\$4 condition) and melt	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 19:02
S80	1	safety and control same capacitance same fusible same condition	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 19:04
S81	16	safety and control same capacitance same fuse same condition	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 19:11
S82	0	(control near system) same capacitor same (measure or detect) and sensor and fuse and safety and (text or moinitor)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 19:13
S83	68	(control near system) same capacitor same (measure or detect) and sensor and (test or moinitor)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 19:25
S84	196	(control near system) same capacitor same (measure or detect) and sensor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 19:25
S85	128	(control near system) same capacitor same (measure or detect) and sensor not S83	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 19:33
S86	26	(safety near device) same control same capacit\$4 same fuse	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 19:50
S87	918	chamberlin.inv.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 19:50
S88	74	chamberlin.inv. and washing	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 19:51

S89	23	chamberlin.inv. and (washing near machine)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 19:53
S90	148	fuse and capacitor and safety and brake and control\$4 and sensor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 19:56
S91	359	fuse and capacitor same discharge and safety and control\$4 and sensor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 20:31
S92	5	fuse same capacitor same discharge same safety same sensor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 20:33
S93	11	fuse same capacitor same discharge same safety and sensor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 20:34
S94	1	fuse same capacitor same discharge same (shut\$4 near3 (engine or motor)) and safety	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 20:35
S95	1	fuse same capacitor same discharge and (shut\$4 near3 (engine or motor)) and safety	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 20:36
S96	27	fuse and capacitor same discharge and (shut\$4 near3 (engine or motor)) and safety	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 20:38
S97	1733	control same capacitance same discharge and (disable or stop) and (engine or motor or tool or device)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 20:40
S98	141	control same capacitance same discharge and (disable or stop) and (engine or motor or tool or device) and sensor and safety	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/30 20:40